

Thyborønvej 78 DK-7673 Harboøre

Denmark +45 9690 9690 www.fmc.com

CVR No. DK 12 76 00 43

Product code	6246	Page 1 of 13
Product name	SPOTLIGHT PLUS	
		June 2019
Safety data sheet according to EU Reg. 1907/2006 as amended		Supersedes November 2017

# SAFETY DATA SHEET **Spotlight Plus**

Revision: Sections containing a revision or new information are marked with a .

# ◆ SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier ...... **Spotlight Plus** 

1.2. Relevant identified uses of the substance or mixture and uses

advised against ..... Can be used as herbicide only.

1.3. Details of the supplier of the safety data sheet

FMC Agricultural Solutions A/S

Thyborønvej 78 DK-7673 Harboøre

Denmark

SDS.Ronland@fmc.com

1.4. Emergency telephone number

**Medical emergencies:** 

Austria: +43 1 406 43 43 Luxembourg: +352 8002 5500 Netherlands: +31 30 274 88 88 Belgium: +32 70 245 245 Norway: +47 22 591300 Bulgaria: +359 2 9154 409 Poland: +48 22 619 66 54 Cyprus: 1401

Czech Republic: +420 224 919 293

+48 22 619 08 97 Portugal: 808 250 143 (in Portugal only) +420 224 915 402

+351 21 330 3284 Denmark: +45 82 12 12 12 Romania: +40 21318 3606 England and Wales: 111 Scotland: +8454 24 24 24 Estonia: +372 7943500 Slovakia: +421 2 54 77 4 166 France: +33 (0) 1 45 42 59 59 Slovenia: +386 41 650 500 Finland: +358 9 471 977

South Africa: +27 83 123 3911 (Bateleur Emergency Response Co.) Greece: 30 210 77 93 777 Spain: +34 91 562 04 20

Hungary: +36 80 20 11 99 Sweden: +46 08-331231 Ireland (Republic): +353 1 837 9964

112 Italy: +39 02 6610 1029 Switzerland: 145 Latvia: +371 670 42 473 Turkey: 114 112

U.S.A. & Canada: +1 800 / 331 3148 Lithuania: +370 523 62052 All other countries: +1 651 / 632 6793 (Collect) +370 687 53378

For fire, leak, spill or other accident emergencies:

U.S.A.: +1 800 / 424 9300 (CHEMTREC)

All other countries: +1 703 / 527 3887 (CHEMTREC - Collect)



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Product code	6246	Page 2 of 13
Product name	SPOTLIGHT PLUS	
		June 2019

#### **SECTION 2: HAZARDS IDENTIFICATION**

2.1. Classification of the substance or

Sensitisation – skin: Category 1 (H317)

mixture

Hazards to the aquatic environment, acute: Category 1 (H400)

chronic: Category 1 (H410)

WHO classification ...... Class U (Unlikely to present acute hazard in normal use)

Health hazards ...... The product may cause allergic sensitisation.

2.2. Label elements

According to EU Reg. 1272/2008 as amended

Product identifier ...... Spotlight Plus

Hazard pictograms (GHS07, GHS09)





Signal word ...... Warning

Hazard statements

H317 ...... May cause an allergic skin reaction.

Supplementary hazard statement

EUH401 ...... To avoid risks to human health and the environment, comply with the

instructions of use.

Precautionary statements

P302+P352 ..... IF ON SKIN: Wash with plenty of soap and water.

P501 ...... Dispose of contents/container as hazardous waste.

or vPvB.

#### **♣** SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. **Substances** ...... The product is a mixture, not a substance

Active ingredient

Carfentrazone-ethyl ...... Content: 7% w/w



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Product code	6246	Page 3 of 13
Product name	SPOTLIGHT PLUS	_
		June 2019

CAS no	dihydro-3-methyl-5-oxo-1H-1,2,4-triazole-1-yl]-4-fluoro, ethyl ester 128639-02-1 Ethyl 2-chloro-3-(2-chloro-5-(4-difluoromethyl)-3-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-fluorophenyl)propanoate Carfentrazone-ethyl None 607-309-00-5 412.2 Hazards to the aquatic environment, acute: Category 1 (H400) chronic: Category 1 (H410)			
Reportable ingredients	Content (% w/w)	CAS no.	EC no. (EINECS no.)	Classification
1-Ethoxydodecane	16	68551-13-3	None	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Ethoxylated propoxylated silicone	5	134180-76-0	None	Acute Tox. 4 (H312) Acute Tox. 4 (H332) Eye Irrit. 2 (H319) Aquatic Chronic 2 (H411)
Benzenesulfonic acid, mono- C11-13-branched alkyl derivs., calcium salts	1 - 3	68953-96-8	273-234-6	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)
n-Butanol	Max. 1	71-36-3	200-751-6	Flam. Liq. 3 (H226) Acute Tox. 4 (H302) Skin Irrit 2 (H315) Eye Dam. 1 (H318) STOT SE 3 (H335) STOT SE 3 (H336)

## **SECTION 4: FIRST AID MEASURES**

4.1.	Description of first aid measures Inhalation	If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
	Skin contact	Immediately remove contaminated clothing and footwear. Flush skin with water. Wash with water and soap. Get medical attention if irritation develops.
	Eye contact	Immediately rinse eyes with much water or eyewash solution, occasionally opening eyelids, until no evidence of chemical remains. Remove contact lenses after a few minutes and rinse again. Get medical attention if irritation develops.
	Ingestion	Let the exposed person rinse mouth and drink several glasses of water



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Product code	6246	Page 4 of 13
Product name	SPOTLIGHT PLUS	
		June 2019

or milk, but not induce vomiting. If vomiting does occur, let him/her rinse mouth and drink fluids again. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Possibly allergic reactions.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required in case of ingestion.

It may be helpful to show this safety data sheet to physician.

Notes to physician .....

A specific antidote for exposure to this material is not known. Gastric lavage and/or the administration of activated charcoal can be considered. After decontamination, treatment should be directed at the control of symptoms and the clinical condition.

#### SECTION 5: FIRE-FIGHTING MEASURES

Dry chemical or carbon dioxide for small fires, water spray or foam for large fires. Avoid heavy hose streams.

5.2. Special hazards arising from the substance or mixture

The essential breakdown products are volatile, malodorous, toxic, irritant and inflammable compounds such as hydrogen chloride, hydrogen fluoride, nitrogen oxides, sulphur dioxide, carbon monoxide, carbon dioxide and various chlorinated and fluorinated organic compounds.

5.3. Advice for firefighters .....

Use water spray to keep fire-exposed containers cool. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from protected location or maximum possible distance. Dike area to prevent water runoff. Firemen should wear self-contained breathing apparatus and protective clothing.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

It is recommended to have a predetermined plan for the handling of spills. Empty, closable vessels for the collection of spills should be available.

In case of large spill (involving 10 tonnes of the product or more):

- 1. use personal protection equipment; see section 8
- 2. call emergency telephone no.; see section 1
- 3. alert authorities.

Observe all safety precautions when cleaning up spills. Use personal protection equipment. Depending on the magnitude of the spill this may mean wearing respirator, face mask or eye protection, chemical resistant clothing, gloves and rubber boots.

Stop the source of the spill immediately if safe to do so. Keep unprotected persons away from the spill area.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Product code	6246	Page 5 of 13
Product name	SPOTLIGHT PLUS	
		June 2019

6.2. Environmental precautions .......

Contain the spill to prevent any further contamination of surface, soil or water. Wash waters must be prevented from entering surface water drains. Uncontrolled discharge into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and materials for containment and cleaning up

It is recommended to consider possibilities to prevent damaging effects of spills, such as bunding or capping. See GHS (Annex 4, Section 6).

If appropriate, surface water drains should be covered. Minor spills on the floor or other impervious surface should be absorbed onto an absorptive material such as universal binder, hydrated lime, Fuller's earth or other absorbent clays. Collect the contaminated absorbent in suitable containers. Clean area with much water and detergent. Absorb wash liquid onto absorbent and transfer to suitable containers. The used containers should be properly closed and labelled.

Large spills which soak into the ground should be dug up and transferred to suitable containers.

Spills in water should be contained as much as possible by isolation of the contaminated water. The contaminated water must be collected and removed for treatment or disposal.

6.4. Reference to other sections .......

See subsection 8.2. for personal protection. See section 13 for disposal.

#### **SECTION 7: HANDLING AND STORAGE**

7.1. Precautions for safe handling ....

In an industrial environment, it is recommended to avoid all personal contact with the product, if possible by using closed systems with remote system control. The material should be handled by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.

For its use as a pesticide, first look for precautions and personal protection measures on the officially approved label on the packaging or for other official guidance or policy in force. If these are lacking, see section 8.

Remove contaminated clothing immediately. Wash thoroughly after handling. Before removing gloves, wash them with water and soap. After work, take off all work clothes and footwear. Take a shower, using water and soap. Wear only clean clothes when leaving job. Wash protective clothing and protective equipment with water and soap after each use.

Do not discharge to the environment. Do not contaminate water when disposing of equipment wash waters. Collect all waste material and



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Product code	6246	Page 6 of 13
Product name	SPOTLIGHT PLUS	
		June 2019

remains from cleaning equipment, etc., and dispose of as hazardous waste. See section 13 for disposal.

# 7.2. Conditions for safe storage, including any incompatibilities

The product is stable under normal conditions of warehouse storage.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

7.3. **Specific end use(s)** .....

The product is a registered pesticide which may only be used for the applications it is registered for, in accordance with a label approved by the regulatory authorities.

#### **♣** SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

product. However, personal exposure limits defined by local

regulations may exist and must be observed.

Carfentrazone-ethyl

The EFSA has established an AOEL of 0.6 mg/kg bw/day

PNEC, aquatic environment ...... 1.1 μg/l

8.2. Exposure controls .....

When used in a closed system, personal protection equipment will not be required. The following is meant for other situations, when the use of a closed system is not possible, or when it is necessary to open the system. Consider the need to render equipment or piping systems non-

hazardous before opening.

The precautions mentioned below are primarily meant for handling of the undiluted product and for preparing the spray solution, but can be

recommended for spraying as well.

In cases of incidental high exposure, maximal personal protection may be necessary, such as respirator, face mask, chemical resistant

coveralls.

Respiratory protection

The product does not automatically present an airborne exposure concern when handled carefully, but in the event of an accidental discharge of the material which produces a heavy vapour or mist, workers must put on officially approved respiratory protection equipment with a universal filter type including particle filter.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Product code	6246	Page 7 of 13
Product name	SPOTLIGHT PLUS	
		June 2019



Protective gloves .....

Wear chemical resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber or viton. The breakthrough times of these materials for the product are unknown, but it is expected that they will give adequate protection.



Eye protection .......

Wear safety glasses. It is recommended to have an eye wash fountain immediately available in the workplace when there is a potential for



Other skin protection

Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be required.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on physical and chemical properties

Appearance ..... Yellow orange liquid

Odour ..... Paste

Odour threshold ..... Not determined

1% dispersion in water: 4.86 pH .....

Melting point/freezing point ....... Not determined Initial boiling point and boiling range Not determined

Flash point ..... 111°C

Evaporation rate ..... Not determined

Flammability (solid/gas) ..... Not applicable (liquid)

Upper/lower flammability or

explosive limits ..... Not determined

: 7.2 x 10-6 Pa at 20°C Vapour pressure ..... Carfentrazone-ethyl

Vapour density ..... Not determined Relative density ..... 0.9308 at 20°C

Solubility of carfentrazone-ethyl at 20°C in Solubility(ies) .....

ethanol > 2000 g/lhexane 30 g/l 12 mg/l water

Carfentrazone-ethyl Partition coefficient n-octanol/water :  $\log K_{ow} = 3.36$  at  $20^{\circ}C$ 

Autoignition temperature .....

356°C

Decomposition temperature ...... Not determined 20.42 mm<sup>2</sup>/s at 40°C Viscosity ..... Explosive properties ..... Not explosive Oxidising properties ..... Not oxidising

9.2. Other information

Miscibility ..... The product is dispersible in water.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Product code	6246	Page 8 of 13
Product name	SPOTLIGHT PLUS	
		June 2019

ĺ	Product name	SPOTLIGHT PLUS	
			June 2019
•			

### **SECTION 10: STABILITY AND REACTIVITY**

10.1	Reactivity	To our knowledge, the product has no special reactivities.
10.2	. Chemical stability	The product is stable during normal handling and storage at ambient temperatures.
10.3	. Possibility of hazardous reactions	None known.
10.4	. Conditions to avoid	Heating of the product will evolve harmful and irritant vapours.
10.5	. Incompatible materials	None known.
10.6	. Hazardous decomposition products	See subsection 5.2.

#### **♣** SECTION 11: TOXICOLOGICAL INFORMATION

11.1. **Information on toxicological effects** \* = Based on available data, the classification criteria are not met.

Product Acute toxicity		The product is not considered as harmful by single exposures. * The acute toxicity is measured as:	
Route(s) of entry - ingestion - skin - inhalation		$LD_{50}$ , oral, rat: $> 2000 \text{ mg/kg}$	
		LD <sub>50</sub> , dermal, rat: > 2000 mg/kg	
		$LC_{50}$ , inhalation, rat: $> 5.11$ mg/l/4 h	
Skin corrosion/irritation		Not irritating to skin. *	
Serious eye damage/irritation		Slightly irritating to eyes. *	
Respiratory or skin sensitisation		May cause skin sensitisation.	
Germ cell mutagenicity		The product contains no ingredients known to be mutagenic. *	
Carcinogenicity		The product contains no ingredients known to be carcinogenic. *	

To our knowledge, no specific effects have been observed after single STOT – single exposure ..... exposure. \*

reproduction. \*

STOT – repeated exposure ........ The following was measured on the active ingredient carfentrazoneethyl:

NOAEL: 50 ppm (3 mg/kg bw/day) in a 2-year rat study. \*

The product contains no ingredients found to have adverse effects on

Aspiration hazard ..... The product does not present an aspiration pneumonia hazard. \*

Symptoms and effects, acute and

Reproductive toxicity .....

delayed ..... Possibly allergic reactions.



Thyborønvej 78 DK-7673 Harboøre Denmark

+45 9690 9690 www.fmc.com

CVR No. DK 12 76 00 43

Product code	6246	Page 9 of 13
Product name	SPOTLIGHT PLUS	
		June 2019

Carfentrazone-ethyl

Toxicokinetics, metabolism and

distribution

Carfentrazone-ethyl is rapidly absorbed and widely distributed in the body after oral intake. It is extensively metabolised and rapidly excreted, almost completely within 7 days. There is no evidence of

accumulation.

substance is measured as:

Route(s) of entry - ingestion  $LD_{50}$ , oral, rat: > 5000 mg/kg

- skin  $LD_{50}$ , dermal, rat: > 4000 mg/kg

- inhalation LC<sub>50</sub>, inhalation, rat: > 5.09 mg/l/4 h

Skin corrosion/irritation Not irritating to skin. \*

Serious eye damage/irritation ...... Not irritating to eyes. \*

Respiratory or skin sensitisation ... Not sensitising. \*

Ethoxylated propoxylated silicone

Acute toxicity ...... The substance is harmful by dermal contact and inhalation. The acute

toxicity is measured as:

Route(s) of entry - ingestion LD<sub>50</sub>, oral, rat: 3200 mg/kg \*

- skin LD<sub>50</sub>, dermal, rabbit: 1500 mg/kg

 $LD_{50}$ , dermal, rat: > 2000 mg/kg

- inhalation  $LC_{50}$ , inhalation, rat: 1.08 mg/l/4 h (method OECD 403)

Skin corrosion/irritation ...... Slightly irritating to skin. \*

Serious eye damage/irritation ...... Severely irritating to eyes.

Respiratory or skin sensitisation ... Not a skin sensitizer. \*

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts

harmful by skin contact or inhalation.

Route(s) of entry - ingestion LD<sub>50</sub>, oral, rat: 1080 mg/kg

- skin  $LD_{50}$ , dermal, rabbit: > 2000 mg/kg \* - inhalation  $LC_{50}$ , inhalation, rat: not available

Skin corrosion/irritation ...... Irritating to skin (method OECD 404).

Serious eye damage/irritation ...... Irritating to eyes with the potential to cause permanent eye damage

(method OECD 405).



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Product code	6246	Page 10 of 13
Product name	SPOTLIGHT PLUS	
		June 2019

Respiratory or skin sensitisation ... Not sensitising to guinea pigs (method OECD 406). \*

n-Butanol

Acute toxicity ....... The substance is not considered as harmful by skin contact, ingestion

and inhalation. \* The acute toxicity is measured as:

 $Route(s) \ of \ entry \qquad \text{- ingestion} \qquad \qquad LD_{50}, \ oral, \ rat: \ > 2000 \ mg/kg \ (method \ OECD \ 401)$ 

- skin  $LD_{50}$ , dermal, rat: > 3400 mg/kg (method similar to OECD 402)

- inhalation LC<sub>50</sub>, inhalation, rat: > 17.8 mg/l/4 h (method OECD 403)

Skin corrosion/irritation ...... Irritating to skin (Draize test).

Serious eye damage/irritation ...... Irritating to eyes (method OECD 405).

Respiratory or skin sensitisation ... Not predicted to be a skin sensitizer (QSAR). To our knowledge,

indications of allergenic effects have not been reported. \*

#### **SECTION 12: ECOLOGICAL INFORMATION**

and aquatic invertebrates. It is considered as non-toxic to soil micro-

and macroorganisms, birds and insects.

The following has been measured on the product:

 $E_rC_{50}$ , algae: 0.45 mg/l

NOEC, chronic, algae: 0.1 mg/l

12.2. **Persistence and degradability** .... **Carfentrazone-ethyl** is not readily biodegradable. Primary

degradation in the environment is rapid, usually less than one day, but

degradation products are degraded much slower.

The product contains small amounts of other ingredients which are not readily biodegradable and may not be degradable in a waste water

treatment plant.

12.3. **Bioaccumulative potential** ......... See section 9 for octanol-water partition coefficient.

**Carfentrazone-ethyl** is not expected to bioaccumulate either. A Bioaccumulation Factor (BCF) of 176 was measured for whole fish.

being mobile, but were not detected in a field leaching study.

12.5. Results of PBT and vPvB

12.6. Other adverse effects ................................. Other relevant hazardous effects in the environment are not known.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Product code	6246	Page 11 of 13
Product name	SPOTLIGHT PLUS	
		June 2019

# **♣** SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods ........ Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste.

> Disposal of waste and packagings must always be in accordance with all applicable local regulations.

Disposal of product ..... According to the Waste Framework Directive (2008/98/EC),

> possibilities for reuse or reprocessing should first be considered. If this is not feasible, the material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with

flue gas scrubbing.

Do not contaminate water, foodstuffs, feed or seed by storage or

disposal. Do not discharge to sewer systems.

It is recommended to consider possible ways of disposal in the Disposal of packaging ..... following order:

1. Reuse or recycling should first be considered. Reuse is prohibited except by the authorisation holder. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.

2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

3. Delivery of the packaging to a licensed service for disposal of hazardous waste.

4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill, containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

### SECTION 14: TRANSPORT INFORMATION

#### ADR/RID/IMDG/IATA/ICAO classification

14.1. **UN number** ..... 3082

14.2. UN proper shipping name ........ Environmentally hazardous substance, liquid, n.o.s. (carfentrazone-

ethyl)

9 14.3. Transport hazard class(es) ........

14.4. **Packing group** ..... Ш

14.5. Environmental hazards ..... Marine pollutant

14.6. Special precautions for user ...... Avoid any unnecessary contact with the product. Misuse can result in

damage to health. Do not discharge to the environment.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Product code	6246	Page 12 of 13
Product name	SPOTLIGHT PLUS	
		June 2019

14.7. Transport in bulk according to Annex II of MARPOL and the IBC code ......

The product is not transported in bulk by ship.

#### SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category (Dir. 2012/18/EU): dangerous for the environment.

Young workers under the age of 18 are not allowed to work with this

product.

15.2. Chemical safety assessment .......

A chemical safety assessment is not required to be included for this

product.

#### **♣ SECTION 16: OTHER INFORMATION**

Relevant changes in the safety data

sheet ...... Minor corrections only.

List of abbreviations ...... AOEL Acceptable Operator Exposure Level

CAS Chemical Abstracts Service

Dir. Directive

DNEL Derived No Effect Level EC European Community

E<sub>r</sub>C<sub>50</sub> 50% Effect Concentration based on growth

EFSA European Food Safety Authority

EINECS European INventory of Existing Commercial Chemical

Substances

GHS Globally Harmonized classification and labelling

System of chemicals, Fifth revised edition 2013

IBC International Bulk Chemical code

IUPAC International Union of Pure and Applied Chemistry

LC<sub>50</sub> 50% Lethal Concentration

LD<sub>50</sub> 50% Lethal Dose

MARPOL Set of rules from the International Maritime Organisation

(IMO) for prevention of sea pollution

NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration

n.o.s. Not otherwise specified

OECD Organisation for Economic Cooperation and Development

PBT Persistent, Bioaccumulative, Toxic PNEC Predicted No Effect Concentration

QSAR Quantitative Structure-Activity Relationship

Reg. Regulation

STOT Specific Target Organ Toxicity vPvB very Persistent, very Bioaccumulative

WHO World Health Organisation

ingredients are available from published literature and can be found

several places.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Product code	6246	Page 13 of 13
Product name	SPOTLIGHT PLUS	
		June 2019

Method for classification	Test data	
Used hazard statements	H226 H302 H312 H317 H332 H315 H318 H319 H335 H336 H400 H410 H411 EUH401	Flammable liquid and vapour. Harmful if swallowed. Harmful in contact with skin. May cause an allergic skin reaction. Harmful if inhaled. Causes skin irritation. Causes serious eye damage. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. To avoid risks to human health and the environment, comply with the instructions of use.
Advice on training	This material should only be used by persons who are made aware of its hazardous properties and have been instructed in the required safety precautions.	

The information provided in this safety data sheet is believed to be accurate and reliable, but uses of the product vary and situations unforeseen by FMC Corporation may exist. The user has to check the validity of the information under local circumstances.

Prepared by: FMC Agricultural Solutions A/S / GHB