

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version 1.0	Revision Date: 22.03.2023	SDS Number: 50000856	Date of last issue: - Date of first issue: 22.03.2023
----------------	------------------------------	-------------------------	--

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

#### Other means of identification

**Product code** 50000856

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

<b>Use of the Sub-stance/Mixture</b>	Herbicide
<b>Recommended restrictions on use</b>	Use as recommended by the label.

#### 1.3 Details of the supplier of the safety data sheet

#### Supplier Address

FMC Agricultural Solutions A/S  
Thyborønvej 78  
DK-7673 Harbøre  
Denmark

Telephone: +45 9690 9690  
Telefax: +45 9690 9691  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:  
Denmark: +45 82 12 12 12

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

#### **Classification (REGULATION (EC) No 1272/2008)**

Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
--	--

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version 1.0	Revision Date: 22.03.2023	SDS Number: 50000856	Date of last issue: - Date of first issue: 22.03.2023
----------------	------------------------------	-------------------------	--

Short-term (acute) aquatic hazard, Category 1      H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1      H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

Signal word : Warning

Hazard statements : H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P260 Do not breathe dust or spray.  
P273 Avoid release to the environment.  
**Response:**  
P314 Get medical advice/ attention if you feel unwell.  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

#### Hazardous components which must be listed on the label:

tribenuron-methyl (ISO)

#### Additional Labelling

EUH208 Contains tribenuron-methyl (ISO). May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version 1.0      Revision Date: 22.03.2023      SDS Number: 50000856      Date of last issue: -  
Date of first issue: 22.03.2023

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tribenuron-methyl (ISO)	101200-48-0 401-190-1 607-177-00-9	Skin Sens. 1; H317 STOT RE 2; H373 (Thyroid, Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 50 - < 70
florasulam (ISO)	145701-23-1  613-230-00-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 20 - < 25
sodium dimethylnaphthalenesulphonate	27178-87-6 248-301-8	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 3 - < 10
Sodium alkyl naphthalene sulfonate	68425-94-5	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 2,5 - < 10
Lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5	Eye Irrit. 2; H319	>= 1 - < 10
calcium carbonate	471-34-1	Acute Tox. 4; H332	>= 1 - < 10

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version 1.0      Revision Date: 22.03.2023      SDS Number: 50000856      Date of last issue: -  
Date of first issue: 22.03.2023

	207-439-9	Acute toxicity estimate Acute inhalation toxicity (dust/mist): 3,01 mg/l	
--	-----------	---	--

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.  
If on skin, rinse well with water.  
Wash off with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not induce vomiting without medical advice.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Generally, sulphonylurea herbicides cause lethargy, confusion, dizziness, seizures and coma on ingestion.
- Risks : May cause damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray, fog, or regular foam.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Nitrogen oxides (NOx)  
Sulphur oxides  
Carbon oxides  
Hydrogen fluoride  
Fluorinated compounds

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
If it can be safely done, stop the leak.  
Keep people away from and upwind of spill/leak.  
Remove all sources of ignition.  
Immediately evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

---

equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be availa-

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version 1.0      Revision Date: 22.03.2023      SDS Number: 50000856      Date of last issue: -  
Date of first issue: 22.03.2023

ble.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
florasulam (ISO)			Systemic effects	0,05 mg/kg bw/day
calcium carbonate	Workers	Inhalation	Long-term systemic effects	
	Workers	Dermal	Long-term systemic effects	
	Consumers	Inhalation	Long-term systemic effects	
	Consumers	Dermal	Long-term systemic effects	
	Consumers	Oral	Long-term systemic effects	6,1 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
florasulam (ISO)	Fresh water	0,000062 mg/l

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

#### Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version 1.0	Revision Date: 22.03.2023	SDS Number: 50000856	Date of last issue: - Date of first issue: 22.03.2023
----------------	------------------------------	-------------------------	--

Respiratory protection : In case of dust exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state : solid

Form : granules

Colour : light brown

Odour : Faint odour

Odour Threshold : not determined

Melting point/freezing point : not determined

Boiling point/boiling range : not determined  
Decomposition

Flammability : The product is not flammable.

Upper explosion limit / Upper flammability limit : not determined

Lower explosion limit / Lower flammability limit : not determined

Flash point : not determined

Decomposition temperature : Not available for this mixture.

pH : 6,3  
In a 1% aqueous dispersion

Viscosity  
Viscosity, kinematic : Not applicable



# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version 1.0	Revision Date: 22.03.2023	SDS Number: 50000856	Date of last issue: - Date of first issue: 22.03.2023
----------------	------------------------------	-------------------------	--

---

Solubility(ies) Water solubility	:	emulsifiable
Partition coefficient: n- octanol/water	:	Not available for this mixture.
Vapour pressure	:	Not available for this mixture.
Relative density	:	not determined
Bulk density	:	0,63 g/m <sup>3</sup> Pour density 0,66 g/m <sup>3</sup> Tap density
Relative vapour density	:	Not applicable
Particle characteristics Particle size	:	No data available
Particle Size Distribution	:	No data available
Shape	:	No data available

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Self-ignition	:	> 400 °C
Evaporation rate	:	not determined

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

Dust may form explosive mixture in air.

### 10.4 Conditions to avoid

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

Conditions to avoid : Heat, flames and sparks.  
Protect from frost, heat and sunlight.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5,08 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

#### Components:

##### **tribenuron-methyl (ISO):**

Acute oral toxicity : LD50: > 5.000 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5,14 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

##### **florasulam (ISO):**

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,09 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402

### **sodium dimethylnaphthalenesulphonate:**

Acute oral toxicity : LD50 (Rat): > 2.000 - 5.000 mg/kg  
Method: OECD Test Guideline 401

LD50 (Rat): > 3.000 - 5.000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 404  
Remarks: Based on data from similar materials

### **Sodium alkyl naphthalene sulfonate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Acute oral toxicity : LD50 (Rat, female): > 10 g/kg

### **calcium carbonate:**

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg  
Method: OECD Test Guideline 420

Acute inhalation toxicity : LC50 (Rat, male and female): > 3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute toxicity estimate: 3,01 mg/l  
Test atmosphere: dust/mist  
Method: ATE value derived from LD50/LC50 value

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Remarks : May cause mild irritation.  
Minimal effects that do not meet the threshold for classification.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

---

### Components:

#### **tribenuron-methyl (ISO):**

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Remarks	:	May cause mild irritation. Based on available data, the classification criteria are not met.

#### **florasulam (ISO):**

Method	:	OECD Test Guideline 404
Result	:	No skin irritation

#### **sodium dimethylnaphthalenesulphonate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

#### **Sodium alkyl naphthalene sulfonate:**

Remarks	:	No data available
---------	---	-------------------

#### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Result	:	No skin irritation
--------	---	--------------------

#### **calcium carbonate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

#### **Serious eye damage/eye irritation**

Not classified based on available information.

### Product:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	May cause mild irritation. Minimal effects that do not meet the threshold for classification.
Remarks	:	Product dust may be irritating to eyes, skin and respiratory system.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

---

### Components:

#### **tribenuron-methyl (ISO):**

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	May cause mild irritation. Based on available data, the classification criteria are not met.

#### **florasulam (ISO):**

Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### **sodium dimethylnaphthalenesulphonate:**

Method	:	OECD Test Guideline 437
Result	:	Irreversible effects on the eye

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye
Remarks	:	Based on data from similar materials

#### **Sodium alkyl naphthalene sulfonate:**

Result	:	Eye irritation
--------	---	----------------

#### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Result	:	Eye irritation
--------	---	----------------

#### **calcium carbonate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Product:

Species	:	Guinea pig
Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

---

### Components:

#### **tribenuron-methyl (ISO):**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	May cause sensitisation by skin contact.
Method	:	OECD Test Guideline 406
Result	:	Causes skin sensitization.

#### **florasulam (ISO):**

Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

#### **sodium dimethylnaphthalenesulphonate:**

Result	:	Does not cause skin sensitisation.
--------	---	------------------------------------

#### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Species	:	Guinea pig
Result	:	Not a skin sensitizer.

#### **calcium carbonate:**

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **tribenuron-methyl (ISO):**

Germ cell mutagenicity- Assessment	:	Did not show mutagenic effects in animal experiments.
------------------------------------	---	---

#### **florasulam (ISO):**

Genotoxicity in vitro	:	Test system: Chinese hamster ovary cells Method: Regulation (EC) No. 440/2008, Annex, B.17 Result: negative
-----------------------	---	---

#### **sodium dimethylnaphthalenesulphonate:**

Genotoxicity in vitro	:	Method: OECD Test Guideline 471 Result: negative
		Method: OECD Test Guideline 476 Result: negative

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

---

### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Remarks: No data available

### **calcium carbonate:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **tribenuron-methyl (ISO):**

Remarks : No significant adverse effects were reported

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

#### **florasulam (ISO):**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Remarks : No data available

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **tribenuron-methyl (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction  
Animal testing did not show any effects on foetal development., Did not show teratogenic effects in animal experiments.

#### **florasulam (ISO):**

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Effects on fertility : Remarks: No data available

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version 1.0	Revision Date: 22.03.2023	SDS Number: 50000856	Date of last issue: - Date of first issue: 22.03.2023
----------------	------------------------------	-------------------------	--

---

Effects on foetal development : Remarks: No data available

### **calcium carbonate:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Rat, male and female  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: Pre-natal  
Species: Rat  
Application Route: Oral  
Method: OECD Test Guideline 414  
Result: negative

### **STOT - single exposure**

Not classified based on available information.

### **Components:**

#### **tribenuron-methyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **florasulam (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Remarks : No data available

### **STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

### **Product:**

Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Components:**

#### **tribenuron-methyl (ISO):**

Target Organs : Thyroid, Nervous system  
Assessment : May cause damage to organs through prolonged or repeated exposure.



# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

---

### florasulam (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

### Repeated dose toxicity

#### Components:

#### tribenuron-methyl (ISO):

Species : Rabbit  
LOAEL : 80 mg/kg  
Target Organs : Thyroid, Nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.  
Remarks : Increased mortality or reduced survival

#### florasulam (ISO):

Species : Rat  
LOAEL : 500 mg/kg  
Exposure time : 90 day  
Symptoms : kidney effects

#### calcium carbonate:

Species : Rat, male and female  
NOAEL : 1.000 mg/kg  
Application Route : Ingestion  
Exposure time : 48 d  
Method : OECD Test Guideline 422

### Aspiration toxicity

Not classified based on available information.

#### Components:

#### tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

#### florasulam (ISO):

The substance does not have properties associated with aspiration hazard potential.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : Generally, sulphonylurea herbicides cause lethargy, confusion, dizziness, seizures and coma on ingestion.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,022 mg/l  
Exposure time: 72 h

ErC50 (Lemna gibba G3 (gibbous duckweed)): 0,0026 mg/l  
Exposure time: 7 d

NOEC (Lemna gibba G3 (gibbous duckweed)): 0,00052 mg/l  
Exposure time: 7 d

Toxicity to terrestrial organisms : LD50: > 111 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

LD50: > 162 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

---

### Components:

#### **tribenuron-methyl (ISO):**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): > 320 mg/l  
Exposure time: 48 h
- EC50 (Daphnia magna (Water flea)): > 894 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0,068 mg/l  
Exposure time: 72 h
- ErC50 (Lemna gibba (duckweed)): 0,0047 mg/l  
Exposure time: 7 d
- NOEC (Lemna gibba (duckweed)): 0,001 mg/l  
Exposure time: 7 d
- M-Factor (Acute aquatic toxicity) : 100
- Toxicity to fish (Chronic toxicity) : NOEC: 114 mg/l  
Exposure time: 21 d  
Species: Cyprinodon variegatus (sheepshead minnow)  
Method: OECD Test Guideline 211
- NOEC: 560 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 41 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)
- M-Factor (Chronic aquatic toxicity) : 100
- Toxicity to soil dwelling organisms : NOEC: 3,2 mg/kg  
Exposure time: 56 d  
Species: Eisenia fetida (earthworms)
- Toxicity to terrestrial organisms : LD50: > 2.250 mg/kg  
Species: Colinus virginianus (Bobwhite quail)
- LD50: > 5.620 ppm  
Species: Colinus virginianus (Bobwhite quail)  
Remarks: Dietary

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version 1.0	Revision Date: 22.03.2023	SDS Number: 50000856	Date of last issue: - Date of first issue: 22.03.2023
----------------	------------------------------	-------------------------	--

---

LD50: > 5.620 ppm  
Species: *Anas platyrhynchos* (Mallard duck)  
Remarks: Dietary

LD50: > 98.4 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: *Apis mellifera* (bees)

LD50: > 9.1 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: *Apis mellifera* (bees)

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### florasulam (ISO):

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 292 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 0,00894 mg/l  
Exposure time: 72 h

EC50 (*Lemna gibba* (gibbous duckweed)): 0,00118 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 119 mg/l  
Exposure time: 28 d  
Species: *Oncorhynchus mykiss* (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 38,9 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50: > 1.320 mg/kg  
Species: *Eisenia fetida* (earthworms)

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

---

Toxicity to terrestrial organisms : LD50: > 5.000 mg/kg  
End point: Acute contact toxicity  
Species: Anas platyrhynchos (Mallard duck)

LD50: >100  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

LD50: >100  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

### **sodium dimethylnaphthalenesulphonate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC10 (Pseudokirchneriella subcapitata (green algae)): 135 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 810 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16,5 h  
Method: DIN 38 412 Part 8  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 1 - 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### **Ecotoxicology Assessment**

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### **Sodium alkyl naphthalene sulfonate:**

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 10 - 100 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

### Lignosulfonic acid, sodium salt, sulfomethylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 615 mg/l  
Exposure time: 96 h

### calcium carbonate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): > 14 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version 1.0	Revision Date: 22.03.2023	SDS Number: 50000856	Date of last issue: - Date of first issue: 22.03.2023
----------------	------------------------------	-------------------------	--

---

Method: OECD Test Guideline 207

### 12.2 Persistence and degradability

#### **Product:**

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

#### **Components:**

##### **tribenuron-methyl (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Remarks: The product/substance is not persistent in the environment.  
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.  
Metabolites are considered as persistent.  
According to the results of tests of biodegradability this product is not readily biodegradable.

##### **florasulam (ISO):**

Biodegradability : Result: Not readily biodegradable.

##### **sodium dimethylnaphthalenesulphonate:**

Biodegradability : Result: Inherently biodegradable.  
Method: OECD Test Guideline 301D

##### **Sodium alkyl naphthalene sulfonate:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

##### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: < 5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

##### **calcium carbonate:**

Biodegradability : Biodegradation: 90 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

---

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data is available on the product itself.

#### Components:

##### **tribenuron-methyl (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): < 1  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0,38

##### **florasulam (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): < 2,21  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 1 (20 °C)  
pH: 4

log Pow: -1,22 (20 °C)  
pH: 7

log Pow: -2,06 (20 °C)  
pH: 10

##### **Lignosulfonic acid, sodium salt, sulfomethylated:**

Bioaccumulation : Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: -3,45

### 12.4 Mobility in soil

#### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

#### Components:

##### **tribenuron-methyl (ISO):**

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

##### **florasulam (ISO):**

Distribution among environmental compartments : Koc: 22 ml/g, log Koc: 1,34



# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

mental compartments                      Remarks: Highly mobile in soils

Stability in soil                              :

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment                                      : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment                                      : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information                                      : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product    : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging                                      : Empty remaining contents.  
Do not re-use empty containers.  
Packaging that is not properly emptied must be disposed of as the unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

**ADN** : UN 3077  
**ADR** : UN 3077  
**RID** : UN 3077  
**IMDG** : UN 3077  
**IATA** : UN 3077

### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Tribenuron-methyl, Florasulam)  
**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Tribenuron-methyl, Florasulam)  
**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Tribenuron-methyl, Florasulam)  
**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Tribenuron-methyl, Florasulam)  
**IATA** : Environmentally hazardous substance, solid, n.o.s.  
(Tribenuron-methyl, Florasulam)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
**ADR**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)  
**RID**

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75tribenuron-methyl (ISO)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

#### Other regulations:

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

#### The components of this product are reported in the following inventories:

TCSI	:	Not in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL.  2',6',8-TRIFLUORO-5-METHOXY[1,2,4]TRIAZOLO[1,5-C]PYRIMIDINE-2-SULFONANILIDE tribenuron-methyl (ISO)

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

### SECTION 16: Other information

#### Full text of H-Statements

H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

DK / 6N

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## TRIBENURON-METHYL 600 g/kg + FLORASULAM 200 g/kg WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.03.2023	50000856	Date of first issue: 22.03.2023

---